

*Cajc*  
PATENT

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:  
Commissioner for Patents, Attn: Decision and Certificate of Correction Branch of the Patent Issue Division, P.O. Box 1450, Alexandria, VA 22313-1450 on March 3, 2005

William R. Allen  
William R. Allen, Reg. No. 48,389  
3 March 2005  
Date

Applicant: John J. Bissler et al.  
Patent No.: 6,780,322  
Issued: August 17, 2004  
Serial No: 10/030,011  
Filed: June 11, 2002  
Group Art Unit: 1723  
Examiner: Joseph W. Drodge  
Title: HEMOFILTRATION SYSTEM  
Attorney Ref. No.: CMC-151

Confirmation No.: 5783

**Certificate**  
MAR 14 2005  
**of Correction**

Cincinnati, OH 45202

March 3, 2005

Commissioner for Patents  
**Attn: Decision and Certificate of Correction Branch**  
**of the Patent Issue Division**  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT**  
**FOR PTO AND APPLICANTS' MISTAKES**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains errors that occurred through the fault of the Patent Office and Applicants, and also contains errors of a clerical, typographical nature.

This request is made under 17 C.F.R. § 1.322 and § 1.323 to correct various mistakes. The patent shows that Applicants' mistakes were made in good faith. A check for \$100.00 for the fee set forth in Rule 1.20(a) is enclosed.

03/08/2005 YPOLITE2 00000006 6780322

01 FC:1811

100.00 OP

MAR 15 2005

**ON THE TITLE PAGE:**

Page 2, column 1, line 50, change "modallty" to --modality--.

Page 2, column 2, line 3, change "requirement" to --requirements--.

Page 2, column 2, line 23, change "Olsthun" to --Ofsthun--.

Page 2, column 2, line 46, change "Lon" to --Long--.

Page 2, column 2, line 52, change "Prentic" to --Prentice--.

Page 3, column 1, line 7-line 8, change "arterioverious" to  
--arteriovenous--.

**IN THE SPECIFICATION:**

Column 1, line 31, after the word patient add --.--.

Column 2, line 37, after the word general, add --.--.

Column 3, line 14, change "tern" to --term--.

Column 3, line 50, change "patent" to --patient--.

Column 4, line 63, after the word weight, add --.--.

Column 7, line 46, change "Figure" to --Figures--.

Column 10, line 4, change "refereed" to --referred--.

Column 11, line 41, change "wanner" to --warmer--.

Column 16, line 12, change "volts" to --volt--.

Column 17, line 49, after the word patient add --.--.

Column 18, line 2, change "Supervisor" to --Supervisory--.

Column 20, line 12, delete "f" and add the word --fuzzy--.

Column 22, line 60, before the number 345, add --(--; before the number  
341, add --(--.

Column 23, line 47, delete "FISC" and add --FSIC--.

**In The Claims:**

Column 25, line 4, delete the word "and."

Column 25, line 9, before said, add --and--; add a carriage return/line feed after the word "and"; and after said, add --at--.

Column 28, line 4, change the ";" to a --:-- and double indent three following subparagraphs.

Column 28, line 9, delete "fist" and add --first--.

Column 28, line 27, after pump, add --and--.

Column 28, line 60, delete "firm" and add --from--.

Column 29, line 19, after said, add --at--.


Column 29, line 37, delete "re" and add --rate--.

Column 30, line 22, after said, add --at--.

In accordance with the established procedure for handling such certificates, two copies of PTO-1050 are enclosed herewith listing the errors.

Applicant does not believe that any fees are due in connection with this submission other than the \$100 fee enclosed herewith. However, if such petition is due or any other fees are necessary, the Commissioner may consider this to be a request for such and charge any necessary fees to deposit account 23-3000.

Respectfully submitted,  
WOOD, HERRON & EVANS, L.L.P.

  
\_\_\_\_\_  
William R. Allen, Reg. No. 48,389

2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202  
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,780,322

Page 1 of 2

DATED : August 17, 2004

INVENTOR(S) : John J. Bissler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**ON THE TITLE PAGE:**

Page 2, column 1, line 50, change "modallty" to --modality--.

Page 2, column 2, line 3, change "requirement" to --requirements--.

Page 2, column 2, line 23, change "Olsthun" to --Ofsthun--.

Page 2, column 2, line 46, change "Lon" to --Long--.

Page 2, column 2, line 52, change "Prentic" to --Prentice--.

Page 3, column 1, line 7-line 8, change "arterioverious" to --arteriovenous--.

**IN THE SPECIFICATION:**

Column 1, line 31, after the word patient add ---.

Column 2, line 37, after the word general, add --,--.

Column 3, line 14, change "tern" to --term--.

Column 3, line 50, change "patent" to --patient--.

Column 4, line 63, after the word weight, add --,--.

Column 7, line 46, change "Figure" to --Figures--.

Column 10, line 4, change "refereed" to --referred--.

Column 11, line 41, change "wanner" to --warmer--.

Column 16, line 12, change "volts" to --volt--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,780,322

No. of add'l copies

@ 50¢ per page:     

SUBSTITUTE FORM PTb76-22

MAR 15 2005

MAR 15 2005

MAR 15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,780,322

Page 2 of 2

DATED : August 17, 2004

INVENTOR(S) : John J. Bissler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Specification (Con't.)**

Column 17, line 49, after the word patient add ---.

Column 18, line 2, change "Supervisor" to --Supervisory--.

Column 20, line 12, delete "f" and add the word --fuzzy--.

Column 22, line 60, before the number 345, add --(--; before the number 341, add --(--.

Column 23, line 47, delete "FISC" and add --FSIC--.

**In The Claims:**

Column 25, line 4, delete the word "and."

Column 25, line 9, before said, add --and--; add a carriage return/line feed after the word "and"; and after said, add --at--.

Column 28, line 4, change the ";" to a --:-- and double indent three following subparagraphs.

Column 28, line 9, delete "fist" and add --first--.

Column 28, line 27, after pump, add --and--.

Column 28, line 60, delete "firm" and add --from--.

Column 29, line 19, after said, add --at--.

Column 29, line 37, delete "re" and add --rate--.

Column 30, line 22, after said, add --at--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,780,322

No. of add'l copies

@ 50¢ per page:     

SUBSTITUTE FORM PTO76-22

MAR 15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,780,322

Page 1 of 2

DATED : August 17, 2004

INVENTOR(S) : John J. Bissler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**ON THE TITLE PAGE:**

Page 2, column 1, line 50, change "modallty" to --modality--.

Page 2, column 2, line 3, change "requirement" to --requirements--.

Page 2, column 2, line 23, change "Olsthun" to --Ofsthun--.

Page 2, column 2, line 46, change "Lon" to --Long--.

Page 2, column 2, line 52, change "Prentic" to --Prentice--.

Page 3, column 1, line 7-line 8, change "arterioverious" to --arteriovenous--.

**IN THE SPECIFICATION:**

Column 1, line 31, after the word patient add --,--.

Column 2, line 37, after the word general, add --,--.

Column 3, line 14, change "tern" to --term--.

Column 3, line 50, change "patent" to --patient--.

Column 4, line 63, after the word weight, add --,--.

Column 7, line 46, change "Figure" to --Figures--.

Column 10, line 4, change "refereed" to --referred--.

Column 11, line 41, change "wanner" to --warmer--.

Column 16, line 12, change "volts" to --volt--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,780,322

No. of add'l copies

@ 50¢ per page:     

SUBSTITUTE FORM PT 76-22

MAR 15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,780,322

Page 2 of 2

DATED : August 17, 2004

INVENTOR(S) : John J. Bissler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Specification (Con't.)**

Column 17, line 49, after the word patient add --,--.

Column 18, line 2, change "Supervisor" to --Supervisory--.

Column 20, line 12, delete "f" and add the word --fuzzy--.

Column 22, line 60, before the number 345, add --(--; before the number 341, add --(--.

Column 23, line 47, delete "FISC" and add --FSIC--.

**In The Claims:**

Column 25, line 4, delete the word "and."

Column 25, line 9, before said, add --and--; add a carriage return/line feed after the word "and"; and after said, add --at--.

Column 28, line 4, change the ";" to a --:-- and double indent three following subparagraphs.

Column 28, line 9, delete "fist" and add --first--.

Column 28, line 27, after pump, add --and--.

Column 28, line 60, delete "firm" and add --from--.

Column 29, line 19, after said, add --at--.

Column 29, line 37, delete "re" and add --rate--.

Column 30, line 22, after said, add --at--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO.

6,780,322

No. of add'l copies

@ 50¢ per page: \_\_\_\_

SUBSTITUTE FORM PTO76-22

MAR 15 2005